



# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 9/22/2018 Revision date: 12/8/2022 Supersedes version of: 6/3/2020 Version: 5.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Paint Predator Heavy Duty Paint & Varnish Stripper  
REACH registration No : Mixture exempt from REACH registration.  
Product group : End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use  
Use of the substance/mixture : Paint and varnish remover

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Product Compliance Manager  
Bartoline Limited  
Barmstone Close, Swinemoor Industrial Estate  
Beverley, East Yorkshire HU17 0LW  
+44 (0) 1482 678710 [info@bartoline.co.uk](mailto:info@bartoline.co.uk)  
<https://www.bartoline.co.uk>

##### Address Information (SDS EU)

Product Compliance Manager  
Bartoline Ireland Limited  
Unit 3D North Point House, North Point Business Park, New Mallow Road  
Cork T23 AT2P IRELAND  
+353 (0) 212066 441 [info@bartoline.eu](mailto:info@bartoline.eu)  
<https://www.bartoline.eu>

#### 1.4. Emergency telephone number

Emergency number : +44 (0)1482 678710 8.30am - 4.45pm Monday to Friday or  
NHS 111 (General Public - 24 Hour Service)  
Ireland National Poisons Centre, Dublin 9: Public: +353 (1) 809 2166 (8.00am - 10.00pm  
7 days a week). Healthcare Professionals: +353 (1) 809 2566 (24 hour service).

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Acute toxicity (inhalation:dust,mist) Category 4 H332  
Serious eye damage/eye irritation, Category 2 H319  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Harmful if swallowed. Causes serious eye irritation.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Contains : BENZYL ALCOHOL, FORMIC ACID

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                |   |
|--------------------------------|---|
| Hazard statements (CLP)        | : H302+H332 - Harmful if swallowed or if inhaled.<br>H319 - Causes serious eye irritation.  |
| Precautionary statements (CLP) | : P102 - Keep out of reach of children.<br>P261 - Avoid breathing vapours.<br>P262 - Do not get in eyes, on skin, or on clothing.<br>P264 - Wash hands, forearms and face thoroughly after handling.<br>P270 - Do not eat, drink or smoke when using this product.<br>P280 - Wear protective gloves, protective clothing, eye protection, face protection.<br>P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.<br>P301+P330 - IF SWALLOWED: Rinse mouth.<br>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.<br>P314 - Get medical advice/attention if you feel unwell.<br>P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.<br>Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.<br>P332+P313 - If skin irritation occurs: Get medical advice/attention.<br>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.<br>P405 - Store locked up.<br>P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name   | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|--|--|---------|---|
| BENZYL ALCOHOL   | CAS-No.: 100-51-6<br>EC-No.: 202-859-9<br>EC Index-No.: 603-057-00-5<br>REACH-no: 01-2119492630-38 | 21 – 30 | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation), H332<br>Eye Irrit. 2, H319  |
| FORMIC ACID<br>substance with a Community workplace exposure limit | CAS-No.: 64-18-6<br>EC-No.: 200-579-1<br>EC Index-No.: 607-001-00-0<br>REACH-no: 01-2119491174-37  | 0.5 – 1 | Flam. Liq. 3, H226<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 3 (Inhalation:dust,mist), H331<br>Skin Corr. 1A, H314<br>Eye Dam. 1, H318 |

### Specific concentration limits:

| Name        | Product identifier  | Specific concentration limits   |
|-------------|---|---|
| FORMIC ACID | CAS-No.: 64-18-6<br>EC-No.: 200-579-1<br>EC Index-No.: 607-001-00-0<br>REACH-no: 01-2119491174-37 | ( $2 \leq C \leq 10$ ) Skin Irrit. 2, H315<br>( $2 \leq C \leq 10$ ) Eye Irrit. 2, H319<br>( $10 \leq C \leq 90$ ) Skin Corr. 1B, H314<br>( $90 \leq C < 100$ ) Skin Corr. 1A, H314 |

Full text of H- and EUH-statements: see section 16

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Call a poison center or a doctor if you feel unwell. Get medical advice/attention if you feel unwell.  |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.  |
| First-aid measures after skin contact | : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Rinse mouth. Call a poison center or a doctor if you feel unwell.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction.                                       |
| Symptoms/effects after eye contact  | : Eye irritation. redness, itching, tears. stinging.                         |
| Symptoms/effects after ingestion    | : May cause irritation to the digestive tract. Abdominal pain, nausea.       |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. Use extinguishing media appropriate for surrounding fire. |
|------------------------------|--|

#### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. |
|----------------------|--|

##### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

#### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Absorb spilled material with sand or earth.                   |
| Methods for cleaning up | : Take up liquid spill into absorbent material.                 |
| Other information       | : Dispose of materials or solid residues at an authorized site. |

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. |
| Hygiene measures              | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.   |

#### 7.2. Conditions for safe storage, including any incompatibilities

|                            |   |
|----------------------------|---|
| Storage conditions         | : Store in a well-ventilated place. Keep cool. Keep container tightly closed. |
| Storage area               | : Store in a well-ventilated place.   |
| Special rules on packaging | : Keep only in original container.  |

#### 7.3. Specific end use(s)

Paint and varnish remover.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

| FORMIC ACID (64-18-6)                              |                                       |
|--|---------------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) |                                       |
| Local name   | Formic acid                           |
| IOEL TWA [ppm]                                     | 5 ppm                                 |
| Regulatory reference                               | COMMISSION DIRECTIVE 2006/15/EC       |
| United Kingdom - Occupational Exposure Limits      |                                       |
| Local name   | Formic acid                           |
| WEL TWA (OEL TWA) [1]                              | 9.6 mg/m <sup>3</sup>                 |
| WEL TWA (OEL TWA) [2]                              | 5 ppm                                 |
| Regulatory reference                               | EH40/2005 (Fourth edition, 2020). HSE |

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

| BENZYL ALCOHOL (100-51-6)                |                      |
|--|----------------------|
| DNEL/DMEL (Workers)                      |                      |
| Long-term - systemic effects, dermal     | 8 mg/kg bw/day       |
| Long-term - systemic effects, inhalation | 22 mg/m <sup>3</sup> |
| PNEC (Water)                             |                      |
| PNEC aqua (freshwater)                   | 1 mg/l               |
| PNEC aqua (marine water)                 | 0.1 mg/l             |
| PNEC (Sediment)                          |                      |
| PNEC sediment (marine water)             | 5.27 mg/kg bw/day    |

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### BENZYL ALCOHOL (100-51-6)

#### PNEC (Soil)

|           |                    |
|-----------|--------------------|
| PNEC soil | 0.456 mg/kg bw/day |
|-----------|--------------------|

#### PNEC (STP)

|                             |         |
|-----------------------------|---------|
| PNEC sewage treatment plant | 39 mg/l |
|-----------------------------|---------|

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety glasses. Ensure they are fitted tightly. Ensure eye bath is to hand

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Protective gloves

##### 8.2.2.3. Respiratory protection

###### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                       |                             |
|-----------------------|-----------------------------|
| Physical state        | : Liquid                    |
| Colour                | : Off-white.                |
| Odour                 | : Barely perceptible odour. |
| Odour threshold       | : Not available             |
| Melting point         | : No data available.        |
| Freezing point        | : Not available             |
| Boiling point         | : Not available             |
| Flammability          | : Not applicable            |
| Explosive limits      | : Not available             |
| Lower explosion limit | : Not available             |
| Upper explosion limit | : Not available             |

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |                      |
|---|----------------------|
| Flash point                                     | : > 93 °C            |
| Auto-ignition temperature                       | : No data available. |
| Decomposition temperature                       | : Not available      |
| pH  | : 4 – 4.5            |
| Viscosity, kinematic                            | : Not available      |
| Solubility                                      | : Not available      |
| Partition coefficient n-octanol/water (Log Kow) | : Not available      |
| Vapour pressure                                 | : Not available      |
| Vapour pressure at 50°C                         | : Not available      |
| Density   | : Not available      |
| Relative density                                | : 1.02               |
| Relative vapour density at 20°C                 | : No data available. |
| Particle characteristics                        | : Not applicable     |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Heat.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                     |
|-----------------------------|---------------------|
| Acute toxicity (oral)       | : No data available |
| Acute toxicity (dermal)     | : No data available |
| Acute toxicity (inhalation) | : No data available |

| Paint Predator Heavy Duty Paint & Varnish Stripper |                              |
|--|------------------------------|
| ATE CLP (oral)                                     | 1693.193 mg/kg bodyweight    |
| ATE CLP (dust,mist)                                | 4.702 mg/l/4h                |
| BENZYL ALCOHOL (100-51-6)                          |                              |
| LD50 oral rat                                      | 1610 mg/kg Source: OECD SIDS |

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|  |   |
|--|---|
| <b>BENZYL ALCOHOL (100-51-6)</b>                 |   |
| LD50 oral  | 1580 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 - 1770   |
| LD50 dermal rat                                  | 2000 mg/kg  |
| LD50 dermal rabbit                               | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Remarks on results: other:   |
| LC50 Inhalation - Rat                            | > 4178 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:  |
| LC50 Inhalation - Rat (Vapours)                  | > 4.178 mg/l  |
| <b>FORMIC ACID (64-18-6)</b>                     |   |
| LD50 oral rat                                    | 730 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 618 - 863                                  |
| LD50 dermal rat                                  | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  |
| LC50 Inhalation - Rat                            | 7.85 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)  |
| LC50 Inhalation - Rat (Vapours)                  | 7.85 mg/l Source: ECHA  |
| Skin corrosion/irritation                        | : No data available<br>pH: 4 – 4.5  |
| <b>FORMIC ACID (64-18-6)</b>                     |   |
| pH   | < 1   |
| Serious eye damage/irritation                    | : No data available<br>pH: 4 – 4.5  |
| <b>FORMIC ACID (64-18-6)</b>                     |   |
| pH   | < 1   |
| Respiratory or skin sensitisation                | : No data available   |
| Germ cell mutagenicity                           | : No data available   |
| Carcinogenicity                                  | : No data available   |
| <b>FORMIC ACID (64-18-6)</b>                     |   |
| NOAEL (chronic, oral, animal/male, 2 years)      | 400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: |
| Reproductive toxicity                            | : Data not validated  |
| STOT-single exposure                             | : No data available   |
| STOT-repeated exposure                           | : No data available   |
| <b>BENZYL ALCOHOL (100-51-6)</b>                 |   |
| NOAEL (oral, rat, 90 days)                       | 400 mg/kg bodyweight Animal: rat, Guideline: other:   |
| <b>FORMIC ACID (64-18-6)</b>                     |   |
| LOAEL (oral, rat, 90 days)                       | 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)  |
| NOAEL (oral, rat, 90 days)                       | 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)   |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | 0.244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)  |
| Aspiration hazard                                | : No data available   |
| <b>BENZYL ALCOHOL (100-51-6)</b>                 |   |
| Viscosity, kinematic                             | 0.005 mm²/s   |

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. No data available.

Hazardous to the aquatic environment, short-term (acute) : No data available

Hazardous to the aquatic environment, long-term (chronic) : No data available

Not rapidly degradable

#### BENZYL ALCOHOL (100-51-6)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 460 mg/l Test organisms (species): Pimephales promelas   |
| EC50 - Crustacea [1] | 230 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1] | 770 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 500 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | 76828 mg/l Test organisms (species): other:  |
| NOEC chronic fish    | 48897 mg/l Test organisms (species): other: Duration: '30 d'   |

#### FORMIC ACID (64-18-6)

|                      |   |
|----------------------|---|
| LC50 - Fish [1]      | 130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)   |
| EC50 - Crustacea [1] | 365 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1] | 1240 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| LOEC (chronic)       | > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |
| NOEC (chronic)       | ≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |

### 12.2. Persistence and degradability

#### Paint Predator Heavy Duty Paint & Varnish Stripper

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |
|-------------------------------|------------------------|

### 12.3. Bioaccumulative potential

#### Paint Predator Heavy Duty Paint & Varnish Stripper

|                           |                                    |
|---------------------------|------------------------------------|
| Bioaccumulative potential | No bioaccumulation data available. |
|---------------------------|------------------------------------|

#### BENZYL ALCOHOL (100-51-6)

|   |      |
|---|------|
| BCF - Fish [1]                                  | 1.37 |
| Partition coefficient n-octanol/water (Log Pow) | 1.1  |

#### FORMIC ACID (64-18-6)

|   |                   |
|---|-------------------|
| Partition coefficient n-octanol/water (Log Pow) | -2.1 Source: ECHA |
|---|-------------------|



# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.4. Mobility in soil

#### Paint Predator Heavy Duty Paint & Varnish Stripper

|                |                                 |
|----------------|---------------------------------|
| Ecology - soil | Readily absorbed into the soil. |
|----------------|---------------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|  |  |
|--|--|
| Waste treatment methods                    | : Dispose of in accordance with relevant local regulations.  |
| Product/Packaging disposal recommendations | : Disposal of this packaging should at all times comply with the waste disposal legislation and any regional local authority requirements. |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number or ID number</b>     |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| EC-No.                      | European Community number  |
| EC50                        | Median effective concentration   |
| EN                          | European Standard  |
| IARC                        | International Agency for Research on Cancer                                  |
| IATA                        | International Air Transport Association                                      |
| IMDG                        | International Maritime Dangerous Goods                                       |
| LC50                        | Median lethal concentration  |
| LD50                        | Median lethal dose   |
| LOAEL                       | Lowest Observed Adverse Effect Level   |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level   |
| NOEC                        | No-Observed Effect Concentration   |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit  |
| PBT                         | Persistent Bioaccumulative Toxic   |
| PNEC                        | Predicted No-Effect Concentration  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet  |
| STP                         | Sewage treatment plant   |
| ThOD                        | Theoretical oxygen demand (ThOD)   |
| TLM                         | Median Tolerance Limit   |
| VOC                         | Volatile Organic Compounds   |
| CAS-No.                     | Chemical Abstract Service number   |
| N.O.S.                      | Not Otherwise Specified  |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disrupting properties  |

| Full text of H- and EUH-statements:    |  |
|--|--|
| Acute Tox. 3<br>(Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 3 |
| Acute Tox. 4 (Inhalation)              | Acute toxicity (inhal.), Category 4              |
| Acute Tox. 4 (Oral)                    | Acute toxicity (oral), Category 4                |
| Eye Dam. 1                             | Serious eye damage/eye irritation, Category 1    |
| Eye Irrit. 2                           | Serious eye damage/eye irritation, Category 2    |
| Flam. Liq. 3                           | Flammable liquids, Category 3                    |
| H226                                   | Flammable liquid and vapour.                     |
| H302                                   | Harmful if swallowed.                            |
| H314                                   | Causes severe skin burns and eye damage.         |
| H315                                   | Causes skin irritation.                          |

# Paint Predator Heavy Duty Paint & Varnish Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

|               |  |
|---------------|--|
| H318          | Causes serious eye damage.                             |
| H319          | Causes serious eye irritation.                         |
| H331          | Toxic if inhaled.                                      |
| H332          | Harmful if inhaled.                                    |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2                  |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.