

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758  
Issue Date 30/08/2023 Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)  
Product group : End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Adhesive for fixing wallcoverings

##### 1.2.2. Uses advised against

Restrictions on use : Not to be used for any other purpose than stated above.

#### 1.3. Details of the supplier of the safety data sheet

##### GB Manufacturer

Bartoline Limited  
Barmston Close  
HU17 0LW Beverley  
United Kingdom  
T 01482 678710 - F 01482 872606  
info@bartoline.co.uk - [www.bartoline.co.uk](http://www.bartoline.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +44(0)1482 678710  
8.30am - 4.45pm Monday to Friday  
NHS 111 - General Public (24 Hour service)

Also, in the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P103 - Read carefully and follow all instructions.

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

Extra Labelling Phrases : Contains biocidal products/preservatives to control microbial deterioration: 1,2-benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one, 3-iodo-2-propynyl butylcarbamate (risk of skin sensitisation), Bronopol (INN).

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Nitrate	CAS No.: 7631-99-4 EC-No.: 231-554-3 EU REACH Registration-No.: 01-2119488221-41-XXXX	1 – < 5	Ox. Sol. 2, H272 Eye Irrit. 2, H319
Starch (substance with a UK Community workplace exposure limit)	CAS-No.: 9005-25-8 EC-No.: 232-679-6	< 5%	Not Classified
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 Index-No.: 613-088-00-6 EU REACH Registration-No.: 01-2120761540-60-XXXX	< 0.05	Acute Tox. 2 (inhalation), H330 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 Index-No.: 613-326-00-9 EU REACH Registration-No.: 01-2120764690-50-xxxx	< 0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M = 1) EUH071
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC-No.: 911-418-6 Index-No.: 613-167-00-5 EU REACH Registration-No.: 01-2120764691-48-xxxx	< 0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 Index-No.: 613-088-00-6	( 0.05 $\leq$ C $\leq$ 100) Skin Sens. 1, H317

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 Index-No.: 613-326-00-9	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	CAS-No.: 55965-84-9 EC-No.: 911-418-6 Index-No.: 613-167-00-5	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 ( 0.06 ≤C < 0.6) Skin Irrit. 2, H315 ( 0.06 ≤C < 0.6) Eye Irrit. 2, H319 ( 0.6 ≤C ≤ 100) Skin Corr. 1C, H314 ( 0.6 ≤C ≤ 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Non hazardous mixture, hence generally no special measures required. However, If the person is unwell, consult a doctor and present this safety datasheet.
First-aid measures after inhalation	: Inhalation unlikely. Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Take off contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove any contact lenses and open eyelids wide apart. Rinse opened eye for several minutes under running water. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Drink plenty of water. Never give anything by mouth to an unconscious person.
self-protection of the first aider	: Wear recommended personal protective equipment (For further information refer to section 8: "Exposure controls/personal protection") if contact/exposure with the product is likely.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Under normal conditions of use, no adverse effects to health have been observed.
Symptoms/effects after inhalation	: May cause respiratory irritation and/or cough.
Symptoms/effects after skin contact	: Repeated or prolonged skin contact may cause irritation. Repeated or prolonged skin contact can result in skin sensitisation in susceptible individuals.
Symptoms/effects after eye contact	: May cause eye irritation, Redness and/or pain.
Symptoms/effects after ingestion	: May cause gastrointestinal complaints.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: The product is non-combustible. Use extinguishing agent suitable for surrounding fire.
Unsuitable extinguishing media	: None known.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, oxides of nitrogen, various hydrocarbons, aldehydes and soot. These may be harmful or toxic if inhaled in confined spaces or at high concentrations.
--	---

### 5.3. Advice for firefighters

Precautionary measures fire	: Avoid breathing vapours from fire.
Firefighting instructions	: For containers exposed to flames, cool laterally with water, even after the fire is extinguished. .

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Protection during firefighting	: Wear fire/flammable resistant/retardant clothing. In confined space use self-contained breathing apparatus. Full face piece respirator. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incident.
Other information	: Keep run-off water out of sewers and water sources. Containers close to fire should be removed or cooled with water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Keep unnecessary and unprotected personnel away from the spillage. Do not touch or walk on the spilled product. Wash thoroughly after dealing with a spillage.

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment *i.e.* keep away from drains, surface and ground water. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body

### 6.3. Methods and material for containment and cleaning up

For containment	: For uncured product, contain and collect as any liquid. For cured product, contain and collect as any solid. Stop leak if without risk. Move containers from spill area.
Methods for cleaning up	: In general, clear up spills immediately and dispose of waste safely. Easier to clear spill before adhesive cures - mop-up liquid/paste with inert absorbent material. If spilled "cured" adhesive, contain and collect as any solid (may need to scrape up solid). For both cases if possible, collect and place in suitable closed waste disposal containers and seal as well as securely clean up affected area with plenty of water (and mop-up washings with inert absorbent materials).
Other information	: Dispose of materials or solid residues at an authorized site – for further information on waste disposal, see Section 13 of SDS.

### 6.4. Reference to other sections

For further information on personal protection refer to section 8: "Exposure controls/personal protection". For further information on Disposal Considerations refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Read label before use. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Avoid inhalation of dust and contact with skin and eyes. Avoid spilling product and keep away from drains. Do not handle this product together with Reducing agents, Acids, Amines, Ammonia, Powdered metal, Strong oxidising agents, Flammable/combustible materials and Chlorates due to incompatibility.
Hygiene measures	: Do not eat, drink or smoke when using this product. After contact with skin, wash immediately and thoroughly with water and soap. Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: No special storage required. Keep only in original container. Protect from freezing
Storage temperature	: 5 – 25 °C
Incompatible Products	: Reducing agents. Acids. Amines. Ammonia. Powdered metal. Strong oxidising agents. Flammable/combustible materials. Chlorates.

### 7.3. Specific end use(s)

Main Use = Adhesive for fixing wallcoverings (Section 1.2). Always follow on pack instructions when using this product. People with sensitive skin should wear rubber protective gloves. Ensure adequate ventilation of work area and prevent build up of dust. If this is not possible then suitable extraction should be employed near to the emission point.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Starch (9005-25-8)		
Republic of Ireland – Occupational Exposure Limit (OEL)		
OEL 8h TWA (total inhalable dust)	10 mg/m <sup>3</sup>	(Chemical Agents and Carcinogens Code of Practice 2021)
OEL 8h TWA (respirable dust)	4 mg/m <sup>3</sup>	(Chemical Agents and Carcinogens Code of Practice 2021)
United Kingdom – Occupational Exposure Limit (OEL)		
OEL 8h TWA (total inhalable dust)	10 mg/m <sup>3</sup>	(EH40/2005 – 4 <sup>th</sup> Edition 2020)
OEL 8h TWA (respirable dust)	4 mg/m <sup>3</sup>	(EH40/2005 – 4 <sup>th</sup> Edition 2020)

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Sodium Nitrate (7631-99-4)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	20.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	36.7 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	10.9 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	12.5 mg/kg bodyweight/day
Long-term - systemic effects, oral	12.5 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	450 µg/l
PNEC aqua (marine water)	45 µg/l
PNEC aqua (intermittent, freshwater)	4500 µg/l
PNEC (STP)	
PNEC sewage treatment plant	18 mg/l

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	0.966 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6.81 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, inhalation	1.2 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.345 mg/kg bodyweight/day
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	4.03 µg/l
PNEC aqua (marine water)	0.403 µg/l
PNEC aqua (intermittent, freshwater)	1.1 µg/l
PNEC aqua (intermittent, marine water)	110 ng/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	49.9 µg/kg dw
PNEC sediment (marine water)	4.99 µg/kg dw
<b>PNEC (Soil)</b>	
PNEC soil	3 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	1.03 mg/l
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
<b>DNEL/DMEL (Workers)</b>	
Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Acute - systemic effects, oral	0.11 mg/kg bodyweight/day
Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>
Long-term - systemic effects, oral	0.09 mg/kg bodyweight/day
Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	3.39 µg/l
PNEC aqua (marine water)	3.39 µg/l
PNEC aqua (intermittent, freshwater)	3.39 µg/l
PNEC aqua (intermittent, marine water)	3.39 µg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0.027 mg/kg dwt
PNEC sediment (marine water)	0.027 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	0.01 mg/kg dwt

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

#### PNEC (STP)

PNEC sewage treatment plant	0.23 mg/l
-----------------------------	-----------

### 2-methylisothiazol-3(2H)-one (2682-20-4)

#### DNEL/DMEL (Workers)

Acute - local effects, inhalation	0.043 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.021 mg/m <sup>3</sup>

#### DNEL/DMEL (General population)

Acute - local effects, inhalation	0.043 mg/m <sup>3</sup>
Acute - systemic effects, oral	0.053 mg/kg bodyweight/day
Long-term - local effects, inhalation	0.021 mg/m <sup>3</sup>
Long-term - systemic effects, oral	0.027 mg/kg bodyweight/day

#### PNEC (Water)

PNEC aqua (freshwater)	3.39 µg/l
PNEC aqua (marine water)	3.39 µg/l
PNEC aqua (intermittent, freshwater)	3.39 µg/l
PNEC aqua (intermittent, marine water)	3.39 µg/l

#### PNEC (Soil)

PNEC soil	0.0047 mg/kg dwt
-----------	------------------

#### PNEC (STP)

PNEC sewage treatment plant	0.23 mg/l
-----------------------------	-----------

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Do not attempt to take action without suitable protective equipment..

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Eye protection			
Type	Field of application	Characteristics	Standard
Use splash goggles when eye contact due to splashing is possible	Droplet	With side shields	EN 166

### 8.2.2.2. Skin protection

#### Hand protection:

If repeated and/or prolonged skin exposure to the substance is likely, then wear suitable gloves tested to EN374 and provide employee skin care programmes. Can use polyvinyl Chloride (PVC) or nitrile gloves.

When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. Also recommended thickness of glove material >0.5 mm.

#### Other skin protection - Materials for protective clothing:

Not required for normal conditions of use

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Where excessive dust may result, use approved respiratory protection equipment; Dust production: dust mask with filter type P1

### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Not applicable.

### 8.2.3. Environmental exposure controls

Keep container closed when not in use. Do not release to sewer or surface water *i.e.* avoid release to the environment.

#### Other information:

Persons susceptible to allergic reactions should not handle this product. Always wash hands after handling the product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: White/off-white.
Appearance	: Paste.
Odour	: Barely perceptible.
Odour threshold	: No information available.
Melting point/Freezing Point	: Not available
Initial boiling point and range	: 100 °C
Flammability (solid, gas)	: Not applicable
Upper/lower flammability or explosive limits	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 6 - 7
Viscosity	: Dynamic Viscosity 680 - 880 mPa·s (Lamy MS-R4)
Solubility(ies)	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: No information available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Vapour density at 20 °C	: Not available
Explosive properties	: Not considered explosive based on chemical structure and oxygen balance considerations.
Oxidising properties	: Not considered oxidising based on chemical structure considerations.
Evaporation Rate	: Not available
Particle Characteristics	: Not applicable.

### 9.2. Other information

VOC content	: 0.04054 %
-------------	-------------



# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Bulk density : Not applicable  
Volatility : Water based

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

There are no known reactivity hazards associated with this product when used under normal conditions.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Protect from freezing. Avoid heat, flames and other sources of ignition (due to the presence of sodium nitrate)

#### 10.5. Incompatible materials

Reducing agents. Acids. Amines. Ammonia. Powdered metal. Strong oxidising agents. Flammable/combustible materials. Chlorates (due to the presence of sodium nitrate).

#### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met  
Acute toxicity (dermal) : Based on available data, the classification criteria are not met  
Acute toxicity (inhalation) : Based on available data, the classification criteria are not met

##### Sodium Nitrate (7631-99-4)

LD50 oral	≈ 3430 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal– Read Across from Potassium Nitrate (CAS- 7757-79-1)	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

##### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

LD50 dermal	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 oral	454 mg/kg bodyweight Animal: rat , Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation (dust/mist)	0.25 mg/l Animal: rat, Exposure Duration: 4h, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

##### 2-methylisothiazol-3(2H)-one (2682-20-4)

LD50 oral	120 mg/kg bodyweight Animal: rat (females), Guideline: EPA 40 CFR
LD50 oral	235 mg/kg bodyweight Animal: rat (females), Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal	242 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation (dust/mist)	0.11 mg/l Animal: rat, Exposure Duration: 4 h, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LD50 dermal	87.12 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 oral	66 mg/kg bodyweight Animal: rat, Guideline: OECD 401 (Acute Oral Toxicity)
LC50 Inhalation (dust/mist)	0.33 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation : Based on available data, the classification criteria are not met  
pH: 6 - 7

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

Human Patch Test - at 1% 1,2-benzisothiazol-3(2H)-one, 80% (8/10) of volunteers had observed skin irritation, Reference: Freeman, Susanne. "Allergic contact dermatitis due to 1,2-benzisothiazolin-3-one in gum arabic." Contact Dermatitis 11 (1984) - (this reference was cited in CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) Feb 2021)

Human Patch Test - at 1% 1,2-benzisothiazol-3(2H)-one, 30% (121/404) of eczema patients had observed skin irritation, Reference: K.E. Andersen, K. Hamann, The sensitizing potential of metalworking fluid biocides (phenolic and thiazole compounds) in the guinea-pig maximization test in relation to patch-test reactivity in eczema patients, Food and Chemical Toxicology, Volume 22, Issue 8, 1984, - (this reference was cited in CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) Feb 2021)

Conclusion: Causes Skin Irritation

### 2-methylisothiazol-3(2H)-one (2682-20-4)

Causes severe skin damage at 49.5% (based on severity from mean scores and irreversible damage), Animal: Rabbit, Guideline: OECD Guideline 404, Reference: CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 2-methylisothiazol-3(2H)-one July 2015 - <https://echa.europa.eu/documents/10162/61ee5150-eabd-112f-dfbd-e302256740aa>

Causes severe skin damage, Reduction of cell viability up 13.6% after 60 minutes exposure – concluded to be corrosive Guideline: OECD Guideline 431 (In vitro skin corrosion: reconstructed human epidermis (RHE) test method), Reference: CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 2-methylisothiazol-3(2H)-one July 2015 - <https://echa.europa.eu/documents/10162/61ee5150-eabd-112f-dfbd-e302256740aa>

Conclusion: Causes severe skin damage/burns

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Irreversible skin damage caused at 0.75% and at 1% , Animal: Rabbit, Guideline: OECD Guideline 404, Reference: CLH report Proposal for Harmonised Classification and Labelling Substance Name: Reaction mass 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ; C(M)IT/MIT, 2015, Version 2 - <https://echa.europa.eu/documents/10162/77df1685-b789-d18a-5449-bda67d29868c>

Conclusion: Causes severe skin damage/burns

Serious eye damage/irritation : Based on available data, the classification criteria are not met  
pH: 6 - 7

### Sodium Nitrate (7631-99-4)

Causes serious eye irritation.

Positive Result, Concluded to be a serious eye irritant (based on severity from mean scores and reversible damage) ,Animal: rabbit, Guideline: OECD Guideline 405 (Acute Eye Irritation / Corrosion)

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

Causes serious eye damage (based on severe corrosive reactions observed following full volume application to eye), Animal: Rabbit, Guideline: EPA OPP 81-4 (Acute Eye Irritation)

Severe Occular Irritant (based on severity from mean scores and irreversible damage) , Animal Rabbit, Guideline: US EPA PAG 81-4 (Acute Eye Irritation), Reference: Competent Authority Report on 1,2-benzisothiazol-3-(2H)-one (PT06) Document III-A Active Substance

### 2-methylisothiazol-3(2H)-one (2682-20-4)

Causes serious eye damage (based from skin corrosive classification)

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Causes serious eye damage (based from skin corrosive classification)

Respiratory or skin sensitisation : Based on available data, the classification criteria are not met

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

Positive Result, Concluded to be skin sensitising but EC3 value  $\geq 2\%$ , Animal: mouse, Guideline: OECD 429 (local lymph node assay), Reference: Annex 1 Background document to the Opinion proposing harmonised classification and labelling at EU level of 1,2-benzisothiazol-3(2H)-one (CLH-O-0000007051-86-01/F)

Positive Result, Had  $\geq 30\%$  to  $< 60\%$  responding at  $> 0,1\%$  to  $\leq 1\%$  intradermal induction dose Animal: Guinea Pig, Guideline: OECD Guideline 406 (guinea pig maximization test) Reference: Annex 1 Background document to the Opinion proposing harmonised classification and labelling at EU level of 1,2-benzisothiazol-3(2H)-one (CLH-O-0000007051-86-01/F)

Positive Result, Signs of skin sensitisation/positive responses were observed in 5/58 human volunteers at 725ppm or 90.6  $\mu\text{g}/\text{cm}^2$  (which is  $< 500 \mu\text{g}/\text{cm}^2$ ), 0/54 individuals exposed to 360 ppm of 1,2-benzisothiazol-3(2H)-one had skin sensitisation) Human Data, Guideline: Human Repeat Insult Patch Test (HIRPT), Reference: Basketter DA, Rodford R, Kimber I, Smith I, Wahlberg JE. Skin sensitization risk assessment: a comparative evaluation of 3 isothiazolinone biocides. Contact Dermatitis. 1999 Mar;40(3):150-4. doi: 10.1111/j.1600-0536.1999.tb06013.x. PMID: 10073443.

Positive Result, Signs of skin sensitisation/positive responses were observed in 5/45 human volunteers at 64.45  $\mu\text{g}/\text{cm}^2$  (which is  $< 500 \mu\text{g}/\text{cm}^2$ ), Human Data, Guideline: Human Repeat Insult Patch Test (HIRPT), Reference: Annex 1 Background document to the Opinion proposing harmonised classification and labelling at EU level of 1,2-benzisothiazol-3(2H)-one (CLH-O-0000007051-86-01/F)

Conclusion May cause an allergic skin reaction.

### 2-methylisothiazol-3(2H)-one (2682-20-4)

Positive Result, Stimulation index = 6.64 at a concentration of 1.35%, EC3 value  $\leq 2\%$ , Animal: mouse, Guideline: OECD 429 (local lymph node assay), Reference: CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 2-methylisothiazol-3(2H)-one July 2015 - <https://echa.europa.eu/documents/10162/61ee5150-eabd-112f-dfbd-e302256740aa>

Positive Result, Signs of skin sensitisation were observed in 10/10 animals at a concentration of 0.1%, Animal: Guinea Pig, Guideline: OECD Guideline 406 (guinea pig maximization test), Reference: CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 2-methylisothiazol-3(2H)-one July 2015 - <https://echa.europa.eu/documents/10162/61ee5150-eabd-112f-dfbd-e302256740aa>

Conclusion May cause an allergic skin reaction.

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Positive Result, Signs of skin sensitisation were observed in 60% (9/15) animals at a concentration of 0.01%, Animal: Guinea Pig, Guideline: Buehler Test, Reference: CLH report Proposal for Harmonised Classification and Labelling Substance Name: Reaction mass 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ; C(M)IT/MIT, 2015, Version 2 - <https://echa.europa.eu/documents/10162/77df1685-b789-d18a-5449-bda67d29868c>

Positive Result, Stimulation index  $\geq 3$  from concentrations 0 – 0.1%, EC3 value  $\leq 2\%$ , Animal: mouse, Guideline: OECD 429 (local lymph node assay), Reference: CLH report Proposal for Harmonised Classification and Labelling Substance Name: Reaction mass 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ; C(M)IT/MIT, 2015, Version 2 - <https://echa.europa.eu/documents/10162/77df1685-b789-d18a-5449-bda67d29868c>

Conclusion: May cause an allergic skin reaction

Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met

## 11.2. Information on other hazards

### 11.2.1 Endocrine Disrupting Properties

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### 11.2.2 Other Information

No additional information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Based on available data, the classification criteria are not met

Hazardous to the aquatic environment, long-term (chronic) : Based on available data, the classification criteria are not met

Not rapidly degradable

Sodium Nitrate (7631-99-4)	
LC50 96h - Fish	1559 mg/l Test organisms (species): Topeka shiner, Guideline: ASTM E729-26 (1997) (Standard guide for conducting acute toxicity tests on test materials with fishes, macroinvertebrates and amphibians). In Annual Book of ASTM Standards, Vol. 11.05, West Conshohocken, PA, pp 220-240, Reference: Adelman, Kusilek, Koehle and Hess Acute and chronic toxicity of ammonia, nitrite, and nitrate to the endangered topeka shiner (Notropis topeka) and fathead minnows (Pimephales promelas). Environmental Toxicology and Chemistry, Vol. 28, No. 10, pp 2216-2223. 2009
EC50 24h - Crustacea	8609 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202
NOEC 32 d - Fish	157 mg/l Test organisms (species): Pimephales promelas, Guideline: American Society for Testing Materials. 1997. Standard guide for conducting early life-stage toxicity tests with fishes. E 1241-92. In Annual Book of ASTM Standards, Vol 11.05. West Conshohocken, PA, pp 550-577

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LC50 96h - Fish	2.18 mg/l Test organisms (species): Oncorhynchus mykiss, Guideline: OECD Guideline 203, Reference: CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <a href="https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469">https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469</a>
EC50 48h – Crustacea	4 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202, Reference: CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <a href="https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469">https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469</a>
EC50 72h - Algae	0.67 mg/l Test organisms (species): Pseudokirchneriella subcapitata, Guideline: OECD Guideline 201, Reference: CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <a href="https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469">https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469</a>
NOEC 21 d – Crustacea	0.91 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 21, Reference: CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <a href="https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469">https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469</a>
NOEC 28d – Fish	0.21 mg/l Test organisms (species): Oncorhynchus mykiss, Guideline: OECD Guideline 215 (Fish, Juvenile Growth Test), Reference: CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <a href="https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469">https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469</a>
NOEC 72h - Algae	0.04 mg/l Test organisms (species): Selenastrum capricornutum, Guideline: OECD Guideline 201

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

2-methylisothiazol-3(2H)-one (2682-20-4)	
LC50 96h - Fish	4.77 mg/l Test organisms (species): Oncorhynchus mykiss, Guideline: OECD Guideline 203
EC50 48h - Crustacea	0.998 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202
EC50 120h – Algae	0.103 mg/l Test organisms (species): Pseudokirchneriella subcapitata, Guideline: OECD Guideline 201
E,C50 24h – Algae	0.0695 mg/l Test organisms (species): Skeletonema costatum, Guideline: US EPA FIFRA 123-2
E,C10 24h – Algae	0.024 mg/l Test organisms (species): Pseudokirchneriella subcapitata, Guideline: US EPA OPPTS 850.5400
NOEC 98 d - Fish	2.38 mg/l Test organisms (species): Oncorhynchus mykiss, Guideline: OECD Guideline 210
NOEC 21 d – Crustacea	0.55 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 211

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) (55965-84-9)	
LC50 96h - Fish	0.22 mg/l Test organisms (species): Onchorhynchus mykiss, Guideline: OECD Guideline 203
EC50 48h – Crustacea	0.1 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202
E,C50 48h - Algae	0.0052 mg/l Test organisms (species): Skeletonema costatum, Guideline: OECD Guideline 201
NOEC 28 d - Fish	0.098 mg/l Test organisms (species): Oncorhynchus mykis, Guideline: OECD Guideline 215
NOEC 21 d – Crustacea	0.0036 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 211
NOE,C 48h – Algae	0.00049 mg/l Test organisms (species): Skeletonema costatum, Guideline: OECD Guideline 201

### 12.2. Persistence and degradability

No additional information available on mixture

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
OECD Guideline 301C	< 1% degradation (CO <sub>2</sub> evolution) after 63 d,
OECD Guideline 301B	0% degradation (CO <sub>2</sub> evolution) at 28 d,
OECD Guideline 301D	4.94% degradation after 28 d,
Conclusion	Not readily biodegradable and not rapidly degradable
Reference:	CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <a href="https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469">https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469</a>

2-methylisothiazol-3(2H)-one (2682-20-4)	
OECD Guideline 301B	47.6 – 56% (CO <sub>2</sub> evolution) degradation after 28d
OECD Guideline 301D	0% (O <sub>2</sub> Consumption) degradation in 28 d
OECD Guideline 301A	17% (DOC Removal) degradation in 36 d
Conclusion	Not readily biodegradable and not rapidly degradable
Reference:	Committee for Risk Assessment RAC Annex 1 Background document to the Opinion proposing harmonised classification and labelling at EU level of 2-methylisothiazol-3(2H)-one (ISO) (CLH-O-0000001412-86-105/F) March 2016) - <a href="https://echa.europa.eu/documents/10162/23685b10-1c61-f446-2023-befb24e0fbed">https://echa.europa.eu/documents/10162/23685b10-1c61-f446-2023-befb24e0fbed</a>

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Conclusion	Not readily biodegradable and not rapidly degradable based on studies on 5-chloro-2-methyl-2H-isothiazol-3-one and studies on 2-methyl-2H-isothiazol-3-one.
------------	---

### 12.3. Bioaccumulative potential

No additional information available on mixture

#### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

OECD 305 Bioconcentration factor	6.95 (Fish)
OECD 117 Log Kow Partition Coefficient	0.7 (n-octanol/water)
Conclusion	Low potential for bioaccumulation
Reference:	CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <a href="https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469">https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469</a>

#### 2-methylisothiazol-3(2H)-one (2682-20-4)

OECD 117 Log Kow Partition Coefficient	-0.32 (n-octanol/water)
Conclusion	Low potential for bioaccumulation
Reference:	CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 2-methylisothiazol-3(2H)-one July 2015 - <a href="https://echa.europa.eu/documents/10162/61ee5150-eabd-112f-dfbd-e302256740aa">https://echa.europa.eu/documents/10162/61ee5150-eabd-112f-dfbd-e302256740aa</a>

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Bioconcentration factor BCF	3.16 (calculated)
OECD 117 Log Kow Partition Coefficient	-0.26 - 0.71 (n-octanol/water)
Conclusion	Low potential for bioaccumulation
Reference:	CLH report Proposal for Harmonised Classification and Labelling Substance Name: Reaction mass 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ; C(M)IT/MIT, 2015, Version 2 - <a href="https://echa.europa.eu/documents/10162/77df1685-b789-d18a-5449-bda67d29868c">https://echa.europa.eu/documents/10162/77df1685-b789-d18a-5449-bda67d29868c</a>

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

### 12.6. Endocrine disrupting properties

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### 12.7. Other adverse effects

No other adverse effects are known as of yet for this mixture or any substances contained in this mixture No additional information available.

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

This product is not classified as Hazardous Waste as it is supplied.

Waste generation should be avoided or minimised where possible. When handling waste, the safety precautions applying to handling of the product should be considered. Label the containers containing waste and remove from the area as soon as possible. Label the containers containing waste contaminated material and remove from the area as soon as possible.

Product disposal to sewer should be avoided, if possible, and only be carried out after treatment, and under relevant rules, e.g. Consent to Discharge. Where wastes undergo disposal, external recovery or treatment, it must comply with the requirements of environmental protection, waste disposal legislation and any local authority requirements. If wastes undergo incineration, they must be suitable for it at an approved facility.

Used packaging waste should be reused or recycled, if uncontaminated. Contaminated packaging should be cleaned on site, if appropriate facilities exist, including any relevant rules or permits, or offsite by a specialist provider. Contaminated packaging which cannot be safely cleaned must be treated in the same way as the product, and should only be disposed of as a last resort.

List of waste code is 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09. These codes have been assigned based on the actual composition of the product as supplied. Seek advice from a hazardous/non-hazardous waste specialist for waste classification

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

#### 14.6. Special precautions for user

##### Overland transport

Not applicable

##### Transport by sea

Not applicable

##### Air transport

Not applicable

##### Inland waterway transport

Not applicable

##### Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable



# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. UK-Regulations

###### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the GB PIC list ((EU) No 649/2012 as amended by the Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc) (EU Exit) Regulations 2019 and 2020 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (The Persistent Organic Pollutants Regulations 2007 As Amended by UK Regulations S.I 2018/1405, S.I 2019/1099, S.I 2019/1340, S.I 2020/1358 and S.I 2022/1293)

###### Ozone Depleting Substances Regulation

Contains no substance(s) listed on the Ozone Depletion list (The Ozone-Depleting Substances Regulations 2015 As Amended by UK Regulations S.I 2019/281, S.I 2019/583, S.I 2020/304, S.I. 2020/1616, S.I 2021/1397 and S.I 2023/336 on substances that deplete the ozone layer)

###### The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012 (S.I 2012/1715)

VOC content : 0.04054 %

###### Poisons and Explosive Precursors Regulations

Contains substance(s) listed on the Poisons and Explosive Precursors Precursors list (The Poisons Act 1972 as amended by S.I 2015/968, The Control of Poisons and Explosives Precursors Regulations 2015 (S.I 2015/966) and The Control of Explosives Precursors and Poisons Regulations 2023 (S.I 2023/63) on the marketing and use of explosives precursors). More specifically listed on Part 3 of Schedule 1A of The Poisons Act 1972 as amended by S.I 2015/968 as a **REPORTABLE EXPLOSIVES PRECURSOR**.

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.
Sodium nitrate	7631-99-4

###### Drug Precursors Regulation (273/2004 & 111/2005)

Contains no substance(s) listed on the Drug Precursors list ((EC) No 273/2004 and (EC) No 111/2005 as amended by the UK Regulations S.I 2019/742 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been done for this mixture.

### SECTION 16: Other information

#### Indication of changes:

Due to change of classification database the revision numbering has been reset. You should therefore look at the revision date rather than the revision number to ensure you have the most up to date version.

Abbreviations and acronyms:	
a.i.	Active Ingredient
a.s.	Active Substance
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
bw	Bodyweight
ATP	Adaptation to Technical Progress
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CLP	The Classification, Labelling and Packaging
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
M	M Factor
mg	Milligrams
NI	Northern Ireland
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
ROI	Republic of Ireland
SCL	Specific Classification Limit
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

### Abbreviations and acronyms:

CAS-No.:	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

### Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solid, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, Category 1A
Skin Sens. 1	Skin sensitisation, Category 1

### Key literature references and sources for data

# Bartoline Professional Ready Mixed Wallcovering Adhesive (Heavy)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

- ECHA (European Chemicals Agency). <http://echa.europa.eu/>, - REACH disseminated dossiers of relevant substances included in Section 3
- Supplier's Safety documents
- CLH report Proposal for Harmonised Classification and Labelling Substance Name: Reaction mass 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ; C(M)IT/MIT, 2015, Version 2 - <https://echa.europa.eu/documents/10162/77df1685-b789-d18a-5449-bda67d29868c>
- CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 2-methylisothiazol-3(2H)-one July 2015 - <https://echa.europa.eu/documents/10162/61ee5150-eabd-112f-dfbd-e302256740aa>
- Committee for Risk Assessment RAC Annex 1 Background document to the Opinion proposing harmonised classification and labelling at EU level of 2-methylisothiazol-3(2H)-one (ISO) (CLH-O-0000001412-86-105/F) March 2016) - <https://echa.europa.eu/documents/10162/23685b10-1c61-f446-2023-befb24e0fbcd>
- CLH report for 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) (Version 2.0) Feb 2021 <https://echa.europa.eu/documents/10162/580644f7-c28b-f232-c560-206c24323469>
- Freeman, Susanne. "Allergic contact dermatitis due to 1,2-benzisothiazolin-3-one in gum arabic." Contact Dermatitis 11 (1984) - (this reference was cited in CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) Feb 2021)
- K.E. Andersen, K. Hamann, The sensitizing potential of metalworking fluid biocides (phenolic and thiazole compounds) in the guinea-pig maximization test in relation to patch-test reactivity in eczema patients, Food and Chemical Toxicology, Volume 22, Issue 8, 1984, - (this reference was cited in CLH report, Proposal for Harmonised Classification and Labelling for Chemical name: 1,2-BENZISOTHIAZOL-3-(2H)-ONE (BIT) Feb 2021)
- Competent Authority Report on 1,2-benzisothiazol-3-(2H)-one (PT06) Document III-A Active Substance
- Annex 1 Background document to the Opinion proposing harmonised classification and labelling at EU level of 1,2-benzisothiazol-3(2H)-one (CLH-O-0000007051-86-01/F)
- Basketter DA, Rodford R, Kimber I, Smith I, Wahlberg JE. Skin sensitization risk assessment: a comparative evaluation of 3 isothiazolinone biocides. Contact Dermatitis. 1999 Mar;40(3):150-4. doi: 10.1111/j.1600-0536.1999.tb06013.x. PMID: 10073443.
- Adelman, Kusilek, Koehle and Hess Acute and chronic toxicity of ammonia, nitrite, and nitrate to the endangered topeka shiner (Notropis topeka) and fathead minnows (Pimephales promelas). Environmental Toxicology and Chemistry, Vol. 28, No. 10, pp 2216-2223. 2009

Safety Data Sheet (SDS), GB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.